



*“Home of Innovative & Quality
Solutions for Construction
since 1984”*

SPECIALIST






PLANTERS



Visit www.kkindia.com for more options

TT TABLE



SPEED BREAKER




TECHNICAL INFO


- Dimension : Length : 450mm, Width : 400mm, Height : 75mm
- Material : Polymer Concrete
- Installation : Fixed by driving two 12 mm rods through provided holes and sealing with resin



BARBED WIRE POST




JALIS



Design 1

Length x Height x Thickness
1600 x 760 x 60




Design 2

Length x Height x Thickness
900 x 760 x 60



Design 3

Length x Height x Thickness
675 x 475 x 40/60



Design 4

Length x Height x Thickness
1500 x 600 x 65



Design 5

Length x Height x Thickness
1000 x 1000 x 50

Office Locations


KK Manhole & Gratings Co. Pvt. Ltd.

Head Office : 12/16, Sarvapriya Vihar,
New Delhi -110016, India
Tel.: +91-11-26969550, +91-9910012478,
Fax:+91-11-26864895
Works : Ballabgarh Haryana, (INDIA)

KK Precast Concrete Pvt. Ltd.

4/37 Club Road
Chetpet, Chennai - 600031, India
Tel.: +044-28361118, +91-9840155761
Fax:+044-28361417
Works : Kelambakkam & Ponneri, Tamilnadu (INDIA)
Email: precast@kkindia.com

KONKRETE TM



KK MANHOLE & GRATINGS CO. PVT. LTD.

*"Home of Innovative and quality solutions
for construction since 1984"*

email : info@kkindia.com, Website : www.kkindia.com