





*"Home of Innovative & Quality
Solutions for Construction
since 1984"*

FLOORING






HEXAGON PAVER



Full Paver



Half Paver

SPECIFICATION

Size : Available in 60 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red




Yellow





CURVED FLOOR SLAB



SPECIFICATION

Size : Available in 60 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red




Yellow





TACTILE TILE Type 1



SPECIFICATION

Size : Available in 40, 50 & 60 mm Thickness

Material : M-30 Grade Concrete

Color
Options




Gray



Red





Yellow





TACTILE TILE Type 2



SPECIFICATION

Size : Available in 40, 50 & 60 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red




Yellow





DESIGNER TILE Type 1



SPECIFICATION

Size : Available in 40 and 50 mm thickness
Material : M-30 Grade Concrete

Color
Options



Gray



Red




Yellow





DESIGNER TILE Type 2



SPECIFICATION

Size : Available in 40 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red





Combination





DESIGNER TILE Type 3



SPECIFICATION

Size : Available in 40 and 50 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red




Yellow





GRASS GRID



SPECIFICATION

Size : Available in 70 mm thickness

Material : M-30 grade concrete &
wire mesh of 6mm

Color
Options




Gray





GRASS PAVER



SPECIFICATION

Size : Available in 60 mm thickness

Material : M-30 grade concrete

Color
Options



Gray



Red



Yellow

